Aussie Heroes BOM September 2013 Easy 4 Patch By Naomi Vela




Before you start, please check your ¼" seam allowance, as this block relies on your seams being exactly ¼", if for some reason your seam allowance tends to be out, then increase the cutting size of your block by ½"



Cut 2 x 9" squares from 2 contrasting fabrics (or 2 x 9 &  $\frac{1}{2}$ ")

I swear by Pilot frixion pens for marking my quilting projects (see note at the bottom), but using whatever you use for marking sewing lines on your projects, you are going to mark a line halfway along your block from side to side. If you have cut 9" blocks, this line will be at the 4 ½" mark, or 4 ¾" mark if you cut 9 ½" blocks.



Once you have marked your block, take both blocks and align them one on top of each other as shown. Make sure they're aligned properly. Directional prints are not really suited for this block.




Take them to the sewing machine, and align your  $\frac{1}{4}$ " foot ON the line you marked. Sew either side of the line, a  $\frac{1}{4}$ " away, as shown.



When you've done that, your stitching should look similar to mine in the following photo. It may be a little hard to see, because I used thread that matched the fabric.



Now you're going to cut each of the blocks in half along the line you drew....ie a ¼" away from the seams you just sewed.



Once you have the two separate units, place them on your ironing board with the darker side up, press the seams to the dark side (hee hee).



As you'll now have two identical units, you will turn them right sides facing, and you can now 'nestle' the seams...when done correctly, you will be able to feel all along the seam and it will feel flat....no ridges or bumps along the stitch line.



Once again, mark the halfway line down the centre (vertical) of the upper block, perpendicular to the seam.



As it doesn't show up too well in the above pic, please see the one below, where my pen points out the line I drew.




Sew ¼" either side of this line, ensuring your seams on the underside don't flip over. Cut on the line again, to produce two separate units.

Now you're going to unpick two or three stitches in the seam allowance at the centre of the block....as shown below.



Once you've done this, open the block out and swirl the centre seam so that it resembles a mini 4 patch.



(Yes I know, I know, my nails need refilling....badly!)



Press the seams so they all go around in the one direction, either clockwise or anti clockwise depending on which of the units you've just sewn

By nestling the seams the way we did, your centre seams should all line up really well.



If you have cut your blocks the larger size, then now you will trim the blocks (only if you have a rotary cutter and ruler though please) to measure 8 ½" If you cut the smaller size, then check to make sure it measures up correctly before making more. To trim your block so it's square, put your ruler on the block, aligning the 4 ¼" point on the centre intersection of the block and cut along that side, unless you are using a square, in which case you would cut along the side and top before spinning the block to cut the other side. If you don't have a rotary cutter and ruler, then please just send the block to Jan-Maree and she will get them trimmed at her end ©



I got 12 blocks out of 3 fq's, and I mixed and matched them up to make unique coloured blocks.

Send completed blocks to Jan-Maree and she has asked for Aussie-ish colours, so think rusts, browns, greens, golds etc

Mailing address: Aussie Hero Quilts PO Box 248 Cherrybrook NSW 2126

NOTE: I am not sponsored by Pilot at all (pity though) and I purchase my pens at Coles or Woolworths/Safeways. They are about \$3 each and can be purchased in several colours. The reason I use them, is because they are heat sensitive, and the lines/marks magically disappear when exposed to the heat of an iron.